

## **SAFETY DATA SHEET**

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

### **SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

#### **1.1. Product identifier**

**Product name** Aminol™ Avantgarde AD2 15W-40 CH-4/SJ  
**Product code** AL/EO-0065

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Lubricant - engine oil  
**Uses advised against** No additional information available

#### **1.3. Details of the supplier of the safety data sheet**

**Manufacturer** **ALCO LLC**  
3, Vali Mammadov st., Sabail dist.,  
AZ1095, Baku, Azerbaijan  
Tel.: +994 12 505 68 10  
Email: sds@azlub.com

#### **1.4. Emergency telephone number**

**Unified emergency number:** 112

### **SECTION 2: HAZARDS IDENTIFICATION**

#### **2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) 1272/2008 (CLP)**

Physical hazards Not classified.  
Health Hazards Not classified  
Environmental hazards Not classified.

#### **2.2. Label elements**

**Labelling according to Regulation (EC) 1272/2008 (CLP)**

Not applicable

#### **2.3. Other hazards**

This mixture does not meet the criteria for vPvB or PBT according to Regulation (EC) No. 1907/2006, Annex XIII.

This mixture is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **3.1. Substances**

Not applicable

## **SAFETY DATA SHEET**

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

### **3.2. Mixtures**

| <b>Distillates (petroleum), solvent-refined heavy paraffinic (Note L)</b> |                       |
|---|-----------------------|
| CAS No.   | 64741-88-4            |
| EC No.  | 265-090-8             |
| Index No.   | 649-454-00-7          |
| REACH No.   | 01-2119488706-23-0056 |
| Weight (%)  | >75 - <85             |
| Classification according to Regulation (EC) No. 1272/2008                 | Not classified        |
| SCL, M-factor, ATE  | -                     |

| <b>Residual oils (petroleum), solvent-dewaxed (Note L)</b> |                       |
|--|-----------------------|
| CAS No.  | 64742-62-7            |
| EC No.   | 265-166-0             |
| Index No.  | 649-471-00-X          |
| REACH No.  | 01-2119480472-38-0041 |
| Weight (%)   | >5 - <10              |
| Classification according to Regulation (EC) No. 1272/2008  | Not classified        |
| SCL, M-factor, ATE   | -                     |

| <b>Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated</b> |                                     |
|---|-------------------------------------|
| CAS No.   | -                                   |
| EC No.  | 953-650-0                           |
| Index No.   | -                                   |
| REACH No.   | -                                   |
| Weight (%)  | 0.5-1                               |
| Classification according to Regulation (EC) No. 1272/2008           | Repr. 2, H361D; Skin Sens. 1B, H317 |
| SCL, M-factor, ATE  | Repr. 2, H361D: C>17.5              |

**Note L:** The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London.

For full text of H-statement, see SECTION 16.

## **SECTION 4: FIRST AID MEASURES**

### **4.1. Description of first aid measures**

#### **General information**

Never pour anything into the mouth of an unconscious person!  
In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Inhalation**

Remove casualty to well-ventilated area and keep at rest in a position comfortable for breathing.

If the casualty is unconscious and not breathing - ensure that there is no obstruction to breathing and provide artificial respiration by trained personnel.

If the casualty is unconscious and breathing - place in recovery position. Administer oxygen if necessary.

Get medical attention if breathing remains difficult.

## **SAFETY DATA SHEET**

**According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878**

### **Ingestion**

If swallowed, immediately call a Poison Centre or doctor/ physician.  
Do not induce vomiting. If vomiting does occur, have causality lean forward to reduce risk of aspiration.

### **Skin contact**

Remove contaminated, saturated clothing immediately.  
Wash area with soap and water for 10 to 15 minutes.  
Get medical attention if adverse health effects persist or are severe.

### **Eye contact**

Remove contact lenses.  
Irrigate exposed eyes with plenty of water for at least 15 minutes.  
Keep eyes wide open while rinsing  
Get medical attention if irritation occurs.

### **4.2. Most important symptoms and effects, both acute and delayed**

No data available

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

**Suitable extinguishing media** Foam, water fog, carbon dioxide, dry chemical powder  
**Unsuitable extinguishing media** High volume water jet

### **5.2. Special hazards arising from the substance or mixture**

**Hazardous combustion products** Carbon oxides (CO, CO<sub>2</sub>), nitrogen oxides (NO, NO<sub>2</sub>, etc.)

### **5.3. Advice for firefighters**

In case of a large fire or in confined or poorly ventilated spaces wear full fire-resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **For non-emergency personnel**

Stop or contain leak at the source if safe to do so. Avoid direct contact with released material. Stay upwind.  
Keep non-involved personnel away from the area of spillage. Alert emergency personnel. Except in case of small spillages, the feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency.  
It is recommended to eliminate all ignition sources if safe to do so (e.g. electricity, sparks, fires, flares).  
If required, notify relevant authorities according to all applicable regulations.

#### **For emergency responders**

Small spillages: normal antistatic working clothes are usually adequate.  
Large spillages: full body suit of chemically resistant and antistatic material.  
Work gloves providing adequate chemical resistance, specifically to aromatic hydrocarbons (gloves made of PVA are not water-resistant, and are not suitable for emergency use).  
Work helmet. Antistatic non-skid safety shoes or boots.  
Goggles or face shield, if splashes or contact with eyes is possible or anticipated.

## **SAFETY DATA SHEET**

**According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878**

Respiratory protection will be necessary only in special cases (e.g. formation of mists). A half or full-face respirator with combined dust/organic vapor filter(s), or a Self-Contained Breathing Apparatus (SCBA) can be used according to the extent of spill and predictable amount of exposure. If the situation cannot be completely assessed, or if an oxygen deficiency is possible, only SCBA's should be used.

### **6.2. Environmental precautions**

Avoid discharge into drains, sewers, watercourses, other bodies of water and soil.  
Inform the relevant authorities if environmental pollution occurs.

### **6.3. Methods and material for containment and cleaning up**

|                          |   |
|--------------------------|---|
| <b>For containment</b>   | Impound and recover large spill by mixing it with inert granular solids.            |
| <b>For cleaning up</b>   | Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr. |
| <b>Other information</b> | Spill area may be slippery. Use suitable disposal containers.                       |

### **6.4. Reference to other sections**

For further information on personal protection and waste disposal, see Section 8 and Section 13 respectively.

### **6.5. Additional information**

No additional information available

---

## **SECTION 7: HANDLING AND STORAGE**

---

### **7.1. Precautions for safe handling**

#### **Protective measures**

Take precautionary measures against static electricity.  
Avoid splash filling of bulk volumes when handling hot liquid product.  
Avoid contact with skin.  
Avoid breathing fume/mist.  
Prevent the risk of slipping.  
Use personal protective equipment as required.

#### **Advice on general occupational hygiene**

Ensure that proper housekeeping measures are in place.  
Contaminated materials should not be allowed to accumulate in the workplaces and should never be kept inside the pockets.  
Keep away from food and beverages.  
Do not eat, drink or smoke when using this product.  
Wash the hands thoroughly after handling.  
Change contaminated clothes at the end of working shift.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Technical measures and storage conditions**

Ensure that all relevant regulations regarding handling and storage facilities of combustible products are followed.  
Store in dry, well ventilated area.  
Keep away from sparks/open flames/hot surfaces. Do not smoke.  
Store separately from oxidising agents.

#### **Packaging materials**

Recommended materials: For containers, or container linings use mild steel, stainless steel.  
Unsuitable materials: Some synthetic materials may be unsuitable for containers or container linings depending on the material specification and intended use. Compatibility should be checked with the manufacturer.

## **SAFETY DATA SHEET**

**According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878**

### **Container advice if the product is supplied in containers**

Keep only in the original container or in a suitable container for this kind of product.

Keep containers tightly closed and properly labelled.

Empty containers may contain combustible product residues. Do not weld, solder, drill, cut or perform similar operations unless they have been properly cleaned.

### **Requirements for storage rooms and vessels:**

Storage area layout, tank design, equipment and operating procedures must comply with the relevant European, national or local legislation.

Storage installations should be designed with adequate bunds so as to prevent ground and water pollution in case of leaks or spills. Cleaning, inspection and maintenance of internal structure of storage tanks must be done only by properly equipped and qualified personnel as defined by national, local or company regulations.

### **7.3. Specific end use(s)**

No additional information available

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1. Control parameters**

#### **8.1.1. National occupational exposure and biological limit values**

| <b>Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)</b> |  |
|---|--|
| <b>EU - Occupational Exposure Limits</b>                                      |  |
| IOELV TWA   | 5 mg/m <sup>3</sup> (Mineral base oil mist, severely refined, DMSO extract < 3% mm)  |
| <b>USA - ACGIH - Occupational Exposure Limits</b>                             |  |
| ACGIH OEL TWA   | 5 mg/m <sup>3</sup> (Mineral base oil mist, severely refined, DMSO extract < 3% mm)  |
| ACGIH OEL STEL  | 10 mg/m <sup>3</sup> (Mineral base oil mist, severely refined, DMSO extract < 3% mm) |

| <b>Residual oils (petroleum), solvent-dewaxed (64742-62-7)</b> |  |
|--|--|
| <b>EU - Occupational Exposure Limits</b>                       |  |
| IOELV TWA  | 5 mg/m <sup>3</sup> (Mineral base oil mist, severely refined, DMSO extract < 3% mm)  |
| <b>USA - ACGIH - Occupational Exposure Limits</b>              |  |
| ACGIH OEL TWA  | 5 mg/m <sup>3</sup> (Mineral base oil mist, severely refined, DMSO extract < 3% mm)  |
| ACGIH OEL STEL   | 10 mg/m <sup>3</sup> (Mineral base oil mist, severely refined, DMSO extract < 3% mm) |

#### **8.1.2. Recommended monitoring procedures**

Monitoring procedures should be chosen according to the indications set by national authorities or labour contracts.

Refer to relevant legislation and in any case to the good practice of industrial hygiene.

#### **8.1.3. Air contaminants formed**

No additional information available

#### **8.1.4. DNEL and PNEC**

No additional information available

#### **8.1.5. Control banding**

No additional information available

## **SAFETY DATA SHEET**

**According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878**

### **8.2. Exposure controls**

#### **8.2.1. Appropriate engineering controls**

Ensure good ventilation of the work station.

Before entering storage, tanks and commencing any operation in a confined area, carry out an adequate clean-up, and check the atmosphere for oxygen content, flammability, and the presence of sulphur compounds.

#### **8.2.2. Personal protection equipment**

##### **Personal protective equipment**

Gloves, protective clothing, safety glasses, dust/aerosol mask.

##### **Personal protective equipment symbol(s):**



##### **8.2.2.1. Eye and face protection**

When there is a risk of contact with the eyes, use safety goggles or other means of protection (face shield).  
If necessary, refer to national standards or to EN 166 standard.

##### **8.2.2.2. Skin protection**

###### **Skin and body protection**

Use of protective clothing is good industrial practice.

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin.

Overalls should be laundered on a regular basis.

When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required

###### **Hand protection**

When there is a risk of contact with the skin, use hydrocarbon-resistant, felt-lined gloves.

Adequate materials: nitrile (NBR) or PVC with a protection index > 5 (permeation time > 240 min.).

Use gloves respecting all the conditions and within the limits set by the manufacturer.

Replace gloves immediately in case of cuts, holes or other signs of damages or degradation.

If necessary, refer to EN 374 standard.

##### **8.2.2.3. Respiratory protection**

Independently from other possible actions (technical modifications, operating procedures, and other means to limit the exposure of workers), personal protection equipment can be used according to necessity.

Open or well-ventilated spaces: in presence of oil mists and if the product is handled without adequate containment means: use full or half-face masks with filter for mists/aerosols (P).

In case there is a significant presence of vapours (e.g. through handling at high temperature), use full or half-face masks with a filter for organic vapours (A), and H<sub>2</sub>S (B) where applicable. (EN 136/140/145).

Combined gas/dust mask with filter type: EN 14387.

Closed or confined areas (e.g. tank interiors): the use of protection measures for airways (masks or self-contained breathing apparatus), must be assessed according to the specific activity, as well as level and duration of predicted exposure (EN 136/140/145).

Approved respiratory protection equipment shall be used in spaces where hydrogen sulphide may accumulate: full face mask with cartridge/filter type "B" (grey for inorganic vapours including H<sub>2</sub>S) or self-contained breathing apparatus (SCBA) (EN 136/140/145)

## **SAFETY DATA SHEET**

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

### **8.2.2.4. Thermal hazards**

If contact with hot product is possible or anticipated, gloves should be heat-resistant and thermally insulated.

### **8.2.3. Environmental exposure controls**

Avoid release to the environment.

---

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

---

### **9.1. Information on basic physical and chemical properties**

|  |                                   |
|--|-----------------------------------|
| <b>Physical state</b>                                    | Liquid                            |
| <b>Colour</b>  | Brown                             |
| <b>Odour</b>   | Characteristic                    |
| <b>Odour threshold</b>                                   | No data available                 |
| <b>Melting point</b>                                     | -30°C (pour point)                |
| <b>Freezing point</b>                                    | No data available                 |
| <b>Initial boiling point and boiling range</b>           | No data available                 |
| <b>Flammability</b>                                      | No data available                 |
| <b>Lower explosion limit</b>                             | No data available                 |
| <b>Upper explosion limit</b>                             | No data available                 |
| <b>Flash point</b>                                       | 226°C (COC)                       |
| <b>Auto-ignition temperature</b>                         | No data available                 |
| <b>Decomposition temperature</b>                         | No data available                 |
| <b>pH</b>  | No data available                 |
| <b>Kinematic viscosity</b>                               | 110.2 mm <sup>2</sup> /s (40 °C)  |
| <b>Kinematic viscosity</b>                               | 14.70 mm <sup>2</sup> /s (100 °C) |
| <b>Solubility</b>  | Insoluble                         |
| <b>Partition coefficient n-octanol/water (log value)</b> | Not applicable                    |
| <b>Vapour pressure</b>                                   | No data available                 |
| <b>Density and / or relative density</b>                 | 0.877 g/cm <sup>3</sup> (20 °C)   |
| <b>Relative vapour density</b>                           | No data available                 |
| <b>Particle characteristics</b>                          | Not applicable                    |

### **9.2. Other information**

No data available

---

## **SECTION 10: STABILITY AND REACTIVITY**

---

### **10.1. Reactivity**

No specific reactivity hazards associated with this product.

### **10.2. Chemical stability**

Stable under normal ambient temperature and when used as recommended.

### **10.3. Possibility of hazardous reactions**

No potentially hazardous reactions known.



## **SAFETY DATA SHEET**

**According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878**

### **10.4. Conditions to avoid**

Keep away from sparks/open flames/hot surfaces and sources of ignition.

### **10.5. Incompatible materials**

Oxidising agents

### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1. Information on toxicological effects**

#### **Acute toxicity**

|                           |   |
|---------------------------|---|
| Acute oral toxicity       | Not classified (Based on available data the classification criteria are not met.) |
| Acute inhalation toxicity | Not classified (Based on available data the classification criteria are not met)  |
| Acute dermal toxicity     | Not classified (Based on available data the classification criteria are not met)  |

| <b>Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)</b> |                                     |
|---|-------------------------------------|
| LD50 - oral - rat   | > 5000 mg/kg body weight (OECD 401) |
| LC50 - inhalation - rat - 4 hours   | > 5.53 mg/l (OECD 403)              |
| LD50 - dermal - rabbit  | > 5000 mg (OECD 402)                |

| <b>Residual oils (petroleum), solvent-dewaxed (64742-62-7)</b> |                                     |
|--|-------------------------------------|
| LD50 - oral - rat  | > 5000 mg/kg body weight (OECD 401) |
| LC50 - inhalation - rat - 4 hours                              | > 5.53 mg/l (OECD 403)              |
| LD50 - dermal - rabbit   | > 5000 mg (OECD 402)                |

|  |  |
|--|--|
| <b>Skin corrosion/irritation</b>         | Not classified (Based on available data the classification criteria are not met) |
| <b>Serious eye damage/irritation</b>     | Not classified (Based on available data the classification criteria are not met) |
| <b>Respiratory or skin sensitization</b> | Not classified (Based on available data the classification criteria are not met) |
| <b>Germ cell mutagenicity</b>            | Not classified (Based on available data the classification criteria are not met) |
| <b>Carcinogenicity</b>                   | Not classified (Based on available data the classification criteria are not met) |
| <b>Reproductive toxicity</b>             | Not classified (Based on available data the classification criteria are not met) |
| <b>STOT - single exposure</b>            | Not classified (Based on available data the classification criteria are not met) |
| <b>STOT - repeated exposure</b>          | Not classified (Based on available data the classification criteria are not met) |
| <b>Aspiration hazard</b>                 | Not classified (Based on available data the classification criteria are not met) |



## SAFETY DATA SHEET

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

### 11.2. Information on other hazards

#### 11.2.1 Endocrine disrupting properties

This mixture is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 11.2.2. Other information

No additional information available

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

#### Ecology - general

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

#### Ecology - air

The product has a low vapour pressure. A significant exposure may happen only if the product is used at high temperature, or in case of sprays and mists.

#### Ecology - water

The product is not soluble in water. It floats on water and forms a film on the surface. The damage to aquatic organisms is of mechanical kind (immobilization and entrapment)

#### Hazardous to the aquatic environment, short-term (acute)

Not classified (Based on available data the classification criteria are not met)

#### Hazardous to the aquatic environment, long-term (chronic)

Not classified (Based on available data the classification criteria are not met)

| <b>Distillates (petroleum), sol-vent-refined heavy paraffinic (64741-88-4)</b> |   |
|--|---|
| LL50 - Fish  | >= 100 mg/l (Pimephales promelas, 96h) (OECD 203)     |
| EL50 - Crustacea   | > 10000 mg/l (Daphnia magna, 48h) (ECD 202)           |
| NOEL - Crustacea   | 10 mg/l (Daphnia magna, 21 day) (OECD 211)            |
| NOEL - Algae   | >= 100 mg/l (Desmodesmus subspicatus, 72h) (OECD 201) |

| <b>Residual oils (petroleum), solvent-dewaxed (64742-62-7)</b> |   |
|--|---|
| LL50 - Fish  | >= 100 mg/l (Pimephales promelas, 96h) (OECD 203)     |
| EL50 - Crustacea   | > 10000 mg/l (Daphnia magna, 48h) (ECD 202)           |
| NOEL - Crustacea   | 10 mg/l (Daphnia magna, 21 day) (OECD 211)            |
| NOEL - Algae   | >= 100 mg/l (Desmodesmus subspicatus, 72h) (OECD 201) |

### 12.2. Persistence and degradability

| <b>Aminol™ Avantgarde AD2 15W-40 CH-4/SJ</b> |                                       |
|--|---------------------------------------|
| Abiotic degradation                          | No data available                     |
| Physical and photo-chemical elimination      | No data available                     |
| Biodegradation                               | Not readily biodegradable (OECD 301B) |

## **SAFETY DATA SHEET**

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

| <b>Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)</b> |                                       |
|---|---------------------------------------|
| Abiotic degradation   | No data available                     |
| Physical and photo-chemical elimination                                       | No data available                     |
| Biodegradation  | Not readily biodegradable (OECD 301B) |

| <b>Residual oils (petroleum), solvent-dewaxed (64742-62-7)</b> |                                       |
|--|---------------------------------------|
| Abiotic degradation  | No data available                     |
| Physical and photo-chemical elimination                        | No data available                     |
| Biodegradation   | Not readily biodegradable (OECD 301B) |

### **12.3. Bioaccumulative potential**

| <b>Aminol™ Avantgarde AD2 15W-40 CH-4/SJ</b>    |                   |
|---|-------------------|
| Partition coefficient n-octanol/water (Log Pow) | No data available |
| Bioconcentration Factor (BCF)                   | No data available |

| <b>Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)</b> |                   |
|---|-------------------|
| Partition coefficient n-octanol/water (Log Pow)                               | No data available |
| Bioconcentration Factor (BCF)   | No data available |

| <b>Residual oils (petroleum), solvent-dewaxed (64742-62-7)</b> |                   |
|--|-------------------|
| Partition coefficient n-octanol/water (Log Pow)                | No data available |
| Bioconcentration Factor (BCF)                                  | No data available |

### **12.4. Mobility in soil**

No data available

### **12.5. Results of PBT and vPvB assessment**

This product does not meet the criteria for vPvB or PBT according to Regulation (EC) No. 1907/2006, Annex XIII.

### **12.6. Endocrine disrupting properties**

This product is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### **12.7. Other adverse effects**

No known significant effects or critical hazards.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### **13.1. Waste treatment methods**

#### **13.1.1. Product/packaging disposal**

Where possible, arrange for product to be recycled.

Empty the packaging completely prior to disposal.

Empty containers may contain combustible product residues. Do not cut, weld, drill, burn or incinerate empty containers or drums, unless they have been cleaned, and declared safe.

Dispose of packaging that cannot be cleaned in the same manner as the product.

## SAFETY DATA SHEET

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

### Waste codes / waste designations according to LoW

| Waste code | Waste designation   |
|------------|---|
| 13 02 05   | Mineral-based non-chlorinated engine, gear and lubricating oils |
| 15 01 01   | Paper and cardboard packaging                                   |
| 15 01 02   | Plastic packaging   |
| 15 01 04   | Metallic packaging  |

Deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.

#### **13.1.2. Waste treatment - relevant information**

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### **13.1.3. Sewage disposal - relevant information**

Do not discharge into drains or the environment.

#### **13.1.4. Other disposal recommendations**

No additional information available.

### **SECTION 14: TRANSPORT INFORMATION**

#### **General**

This product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

| ADR   | IMDG          | IATA          | ADN           | RID           |
|---|---------------|---------------|---------------|---------------|
| <b>14.1. UN number or ID number</b>           |               |               |               |               |
| Not regulated                                 | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.2. UN proper shipping name</b>          |               |               |               |               |
| Not regulated                                 | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b>       |               |               |               |               |
| Not regulated                                 | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group</b>                    |               |               |               |               |
| Not regulated                                 | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>            |               |               |               |               |
| Not regulated                                 | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>No supplementary information available</b> |               |               |               |               |

#### **14.6. Special precautions for user**

##### **Overland transport**

Not regulated

## **SAFETY DATA SHEET**

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

---

### **Transport by sea**

Not regulated

### **Air transport**

Not regulated

### **Inland waterway transport**

Not regulated

### **Rail transport**

Not regulated

### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

---

## **SECTION 15: REGULATORY INFORMATION**

---

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **15.1.1. EU regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances

VOC content: 0 %

#### **15.1.2. National regulations**

No additional information available

### **15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

---

## **SECTION 16: OTHER INFORMATION**

---

### **Abbreviations and acronyms used in the safety data sheet**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

## **SAFETY DATA SHEET**

**According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878**

---

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

IATA: International Air Transport Association.

ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service.

ATE: Acute Toxicity Estimate.

LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.

LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC<sub>50</sub>: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

SDS: Safety Data Sheet

DMEL: Derived Minimal Effect level

DNEL: Derived-No Effect Level

EN: European Standard

PNEC: Predicted No-Effect Concentration

BCF: Bioconcentration Factor

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals, Regulation (EC) No 1907/2006

### **Hazard Statements in full**

H317 May cause an allergic skin reaction.

H361 Suspected of damaging the unborn child

### **Notice to reader**

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. ALCO LLC shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact ALCO LLC to ensure that this document is the most current available. Alteration of this document is strictly prohibited.