

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Aminol[™] Special Generation SLG4 0W-16 SP/GF-6B

Product code AE/EO-0004

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Lubricant - engine oil
Uses advised against	No additional information available

1.3. Details of the supplier of the safety data sheet

ALCO LLC
3, Vali Mammadov st., Sabail dist.,
AZ1095, Baku, Azerbaijan
Tel.: +994 12 505 68 10
Email: sds@azlub.com

1.4. Emergency telephone number

Unified emergency number: 112

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Physical hazards	Not classified.
Health Hazards	Not classified
Environmental hazards	Not classified.

2.2. Label elements

Labelling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

2.3. Other hazards

This mixture does not meet the criteria for vPvB or PBT according to Regulation (EC) No. 1907/2006, Annex XIII.

This mixture is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable



According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	
CAS No.	64742-54-7
EC No.	265-157-1
Index No.	649-467-00-8
REACH No.	01-2119484627-25-0134
Weight (%)	85-<90
Classification according to Regulation (EC) No. 1272/2008	Asp. Tox.1, H304
SCL, M-factor, ATE	-

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London.

For full text of H-statement, see SECTION 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

Never pour anything into the mouth of an unconscious person! In all cases of doubt, or when symptoms persist, seek medical advice.

Inhalation

Remove casualty to well-ventilated area and keep at rest in a position comfortable for breathing.

If the casualty is unconscious and not breathing - ensure that there is no obstruction to breathing and provide artificial respiration by trained personnel.

If the casualty is unconscious and breathing - place in recovery position. Administer oxygen if necessary. Get medical attention if breathing remains difficult.

Ingestion

If swallowed, immediately call a Poison Centre or doctor/ physician. Do not induce vomiting. If vomiting does occur, have causality lean forward to reduce risk of aspiration.

Skin contact

Remove contaminated, saturated clothing immediately. Wash area with soap and water for 10 to 15 minutes. Get medical attention if adverse health effects persist or are severe.

Eye contact

Remove contact lenses. Irrigate exposed eyes with plenty of water for at least 15 minutes. Keep eyes wide open while rinsing Get medical attention if irritation occurs. **4.2. Most important symptoms and effects, both acute and delayed**

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media	Foam, water fog, carbon dioxide, dry chemical powder
Unsuitable extinguishing media	High volume water jet



According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Carbon oxides (CO, CO₂), nitrogen oxides (NO, NO₂, etc.)

5.3. Advice for firefighters

In case of a large fire or in confined or poorly ventilated spaces wear full fire-resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Stop or contain leak at the source if safe to do so. Avoid direct contact with released material. Stay upwind.

Keep non-involved personnel away from the area of spillage. Alert emergency personnel. Except in case of small spillages, the feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency.

It is recommended to eliminate all ignition sources if safe to do so (e.g. electricity, sparks, fires, flares).

If required, notify relevant authorities according to all applicable regulations.

For emergency responders

Small spillages: normal antistatic working clothes are usually adequate.

Large spillages: full body suit of chemically resistant and antistatic material.

Work gloves providing adequate chemical resistance, specifically to aromatic hydrocarbons (gloves made of PVA are not waterresistant, and are not suitable for emergency use).

Work helmet. Antistatic non-skid safety shoes or boots.

Goggles or face shield, if splashes or contact with eyes is possible or anticipated.

Respiratory protection will be necessary only in special cases (e.g. formation of mists). A half or full-face respirator with combined dust/organic vapor filter(s), or a Self-Contained Breathing Apparatus (SCBA) can be used according to the extent of spill and predictable amount of exposure. If the situation cannot be completely assessed, or if an oxygen deficiency is possible, only SCBA's should be used.

6.2. Environmental precautions

Avoid discharge into drains, sewers, watercourses, other bodies of water and soil.

Inform the relevant authorities if environmental pollution occurs.

6.3. Methods and material for containment and cleaning up

For containment	Impound and recover large spill by mixing it with inert granular solids.
For cleaning up	Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
Other information	Spill area may be slippery. Use suitable disposal containers.

6.4. Reference to other sections

For further information on personal protection and waste disposal, see Section 8 and Section 13 respectively.

6.5. Additional information

No additional information available

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Protective measures

Take precautionary measures against static electricity. Avoid splash filling of bulk volumes when handling hot liquid product.



SAFETY DATA SHEET

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

Avoid contact with skin. Avoid breathing fume/mist. Prevent the risk of slipping. Use personal protective equipment as required.

Advice on general occupational hygiene

Ensure that proper housekeeping measures are in place.

Contaminated materials should not be allowed to accumulate in the workplaces and should never be kept inside the pockets. Keep away from food and beverages.

Do not eat, drink or smoke when using this product.

Wash the hands thoroughly after handling.

Change contaminated clothes at the end of working shift.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Ensure that all relevant regulations regarding handling and storage facilities of combustible products are followed. Store in dry, well ventilated area.

Keep away from sparks/open flames/hot surfaces. Do not smoke.

Store separately from oxidising agents.

Packaging materials

Recommended materials: For containers, or container linings use mild steel, stainless steel.

Unsuitable materials: Some synthetic materials may be unsuitable for containers or container linings depending on the material specification and intended use. Compatibility should be checked with the manufacturer.

Container advice if the product is supplied in containers

Keep only in the original container or in a suitable container for this kind of product.

Keep containers tightly closed and properly labelled.

Empty containers may contain combustible product residues. Do not weld, solder, drill, cut or perform similar operations unless they have been properly cleaned.

Requirements for storage rooms and vessels:

Storage area layout, tank design, equipment and operating procedures must comply with the relevant European, national or local legislation.

Storage installations should be designed with adequate bunds so as to prevent ground and water pollution in case of leaks or spills. Cleaning, inspection and maintenance of internal structure of storage tanks must be done only by properly equipped and qualified personnel as defined by national, local or company regulations.

7.3. Specific end use(s)

No additional information available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
EU - Occupational Exposure Limits		
IOELV TWA	5 mg/m ³ (Mineral base oil mist, severely refined, DMSO extract < 3% mm)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	5 mg/m ³ (Mineral base oil mist, severely refined, DMSO extract < 3% mm)	
ACGIH OEL STEL	10 mg/m ³ (Mineral base oil mist, severely refined, DMSO extract < 3% mm)	



SAFETY DATA SHEET

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

8.1.2. Recommended monitoring procedures

Monitoring procedures should be chosen according to the indications set by national authorities or labour contracts. Refer to relevant legislation and in any case to the good practice of industrial hygiene.

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure good ventilation of the work station.

Before entering storage, tanks and commencing any operation in a confined area, carry out an adequate clean-up, and check the atmosphere for oxygen content, flammability, and the presence of sulphur compounds.

8.2.2. Personal protection equipment

Personal protective equipment

Gloves, protective clothing, safety glasses, dust/aerosol mask.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

When there is a risk of contact with the eyes, use safety goggles or other means of protection (face shield). If necessary, refer to national standards or to EN 166 standard.

8.2.2.2. Skin protection

Skin and body protection

Use of protective clothing is good industrial practice.

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin.

Overalls should be laundered on a regular basis.

When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required

Hand protection

When there is a risk of contact with the skin, use hydrocarbon-resistant, felt-lined gloves.

Adequate materials: nitrile (NBR) or PVC with a protection index > 5 (permeation time > 240 min.).

Use gloves respecting all the conditions and within the limits set by the manufacturer.

Replace gloves immediately in case of cuts, holes or other signs of damages or degradation. If necessary, refer to EN 374 standard.



According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

Independently from other possible actions (technical modifications, operating procedures, and other means to limit the exposure of workers), personal protection equipment can be used according to necessity.

Open or well-ventilated spaces: in presence of oil mists and if the product is handled without adequate containment means: use full or half-face masks with filter for mists/aerosols (P).

In case there is a significant presence of vapours (e.g. through handling at high temperature), use full or half-face masks with a filter for organic vapours (A), and H2S (B) where applicable. (EN 136/140/145).

Combined gas/dust mask with filter type: EN 14387.

Closed or confined areas (e.g. tank interiors): the use of protection measures for airways (masks or self-contained breathing apparatus), must be assessed according to the specific activity, as well as level and duration of predicted exposure (EN 136/140/145). Approved respiratory protection equipment shall be used in spaces where hydrogen sulphide may accumulate: full face mask with cartridge/filter type "B" (grey for inorganic vapours including H2S) or self-contained breathing apparatus (SCBA) (EN 136/140/145)

8.2.2.4. Thermal hazards

If contact with hot product is possible or anticipated, gloves should be heat-resistant and thermally insulated.

8.2.3. Environmental exposure controls

Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

ColourBrownish yellowOdourCharacteristicOdour thresholdNo data availableMelting point-42 °C (pour point)Freezing pointNo data availableInitial boiling point and boiling rangeNo data availableFlammabilityNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableFlash point216 °C (COC)Auto-ignition temperatureNo data availableDecomposition temperatureNo data availablepHNo data availableKinematic viscosity39.25 mm²/s (40 °C)SolubilityNo data available	Physical state	Liquid
OdourCharacteristicOdour thresholdNo data availableMelting point-42 °C (pour point)Freezing pointNo data availableInitial boiling point and boiling rangeNo data availableFlammabilityNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableFlash point216 °C (COC)Auto-ignition temperatureNo data availableDecomposition temperatureNo data availablepHNo data availableKinematic viscosity39.25 mm²/s (40 °C)SolubilityNo data available	-	-
Odour thresholdNo data availableOdour thresholdNo data availableMelting point-42 °C (pour point)Freezing pointNo data availableInitial boiling point and boiling rangeNo data availableFlammabilityNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableFlash point216 °C (COC)Auto-ignition temperatureNo data availableDecomposition temperatureNo data availablepHNo data availableKinematic viscosity39.25 mm²/s (40 °C)SolubilityNo data available		-
No data availableMelting point-42 °C (pour point)Freezing pointNo data availableInitial boiling point and boiling rangeNo data availableFlammabilityNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableFlash point216 °C (COC)Auto-ignition temperatureNo data availablePHNo data availableKinematic viscosity39.25 mm²/s (40 °C)Kinematic viscosity7.800 mm²/s (100 °C)SolubilityNo data available		
Freezing pointNo data availableInitial boiling point and boiling rangeNo data availableFlammabilityNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableFlash point216 °C (COC)Auto-ignition temperatureNo data availableDecomposition temperatureNo data availablepHNo data availableKinematic viscosity39.25 mm²/s (40 °C)Kinematic viscosityNo data availableSolubilityNo data available	Odour threshold	
Initial boiling point and boiling rangeNo data availableFlammabilityNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableFlash point216 °C (COC)Auto-ignition temperatureNo data availableDecomposition temperatureNo data availablepHNo data availableKinematic viscosity39.25 mm²/s (40 °C)Kinematic viscosity7.800 mm²/s (100 °C)SolubilityNo data available	Melting point	- 42 °C (pour point)
FlammabilityNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableFlash point216 °C (COC)Auto-ignition temperatureNo data availableDecomposition temperatureNo data availablepHNo data availableKinematic viscosity39.25 mm²/s (40 °C)Kinematic viscosity7.800 mm²/s (100 °C)SolubilityNo data available	Freezing point	No data available
Lower explosion limitNo data availableUpper explosion limitNo data availableFlash point216 °C (COC)Auto-ignition temperatureNo data availableDecomposition temperatureNo data availablepHNo data availableKinematic viscosity39.25 mm²/s (40 °C)Kinematic viscosityNo data availableSolubilityNo data available	Initial boiling point and boiling range	No data available
Upper explosion limitNo data availableFlash point216 °C (COC)Auto-ignition temperatureNo data availableDecomposition temperatureNo data availablepHNo data availableKinematic viscosity39.25 mm²/s (40 °C)Kinematic viscosity7.800 mm²/s (100 °C)SolubilityNo data available	Flammability	No data available
Flash point216 °C (COC)Auto-ignition temperatureNo data availableDecomposition temperatureNo data availablepHNo data availableKinematic viscosity39.25 mm²/s (40 °C)Kinematic viscosity7.800 mm²/s (100 °C)SolubilityNo data available	Lower explosion limit	No data available
Auto-ignition temperatureNo data availableDecomposition temperatureNo data availablepHNo data availableKinematic viscosity39.25 mm²/s (40 °C)Kinematic viscosity7.800 mm²/s (100 °C)SolubilityNo data available	Upper explosion limit	No data available
Decomposition temperatureNo data availablepHNo data availableKinematic viscosity39.25 mm²/s (40 °C)Kinematic viscosity7.800 mm²/s (100 °C)SolubilityNo data available	Flash point	216 °C (COC)
pHNo data availableKinematic viscosity39.25 mm²/s (40 °C)Kinematic viscosity7.800 mm²/s (100 °C)SolubilityNo data available	Auto-ignition temperature	No data available
Kinematic viscosity39.25 mm²/s (40 °C)Kinematic viscosity7.800 mm²/s (100 °C)SolubilityNo data available	Decomposition temperature	No data available
Kinematic viscosity7.800 mm²/s (100 °C)SolubilityNo data available	рН	No data available
Solubility No data available	Kinematic viscosity	39.25 mm²/s (40 °C)
-	Kinematic viscosity	7.800 mm²/s (100 °C)
	Solubility	No data available
Partition coefficient n-octanol/water (log value) No data available	Partition coefficient n-octanol/water (log value)	No data available
Vapour pressure No data available	Vapour pressure	No data available
Density and / or relative density0.832 g/cm³ (20 °C)	Density and / or relative density	0.832 g/cm ³ (20 °C)
Relative vapour density No data available	Relative vapour density	No data available
Particle characteristics No data available	Particle characteristics	No data available

9.2. Other information



SAFETY DATA SHEET

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

No data available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal ambient temperature and when used as recommended.

10.3. Possibility of hazardous reactions

No potentially hazardous reactions known.

10.4. Conditions to avoid

Keep away from sparks/open flames/hot surfaces and sources of ignition.

10.5. Incompatible materials

Oxidising agents

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Acute oral toxicity	Not classified (Based on available data the classification criteria are not met.)
Acute inhalation toxicity	Not classified (Based on available data the classification criteria are not met)
Acute dermal toxicity	Not classified (Based on available data the classification criteria are not met)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LD50 - oral - rat	> 5000 mg/kg body weight (OECD 401)
LC50 - inhalation - rat - 4 hours	> 5.53 mg/l (OECD 403)
LD50 - dermal - rabbit	> 5000 mg/kg (OECD 402)

Skin corrosion/irritation	Not classified (Based on available data the classification criteria are not met)
Serious eye damage/irritation	Not classified (Based on available data the classification criteria are not met)
Respiratory or skin sensitization	Not classified (Based on available data the classification criteria are not met)
Germ cell mutagenicity	Not classified (Based on available data the classification criteria are not met)
Carcinogenicity	Not classified (Based on available data the classification criteria are not met)
Reproductive toxicity	Not classified (Based on available data the classification criteria are not met)
STOT - single exposure	Not classified (Based on available data the classification criteria are not met)
STOT - repeated exposure	Not classified (Based on available data the classification criteria are not met)



According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

Aspiration hazard

Not classified (Based on available data the classification criteria are not met)

11.2. Information on other hazards

11.2.1 Endocrine disrupting properties

This mixture is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

11.2.2. Other information

No additional information available

SECTION 12: ECOLOGICAL INFORMATION	
12.1. Toxicity	
Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Ecology - air	The product has a low vapour pressure. A significant exposure may happen only if the product is used at high temperature, or in case of sprays and mists.
Ecology - water	The product is not soluble in water. It floats on water and forms a film on the surface. The damage to aquatic organisms is of mechanical kind (immobilization and entrapment)
Hazardous to the aquatic environment, short-term (acute)	Not classified (Based on available data the classification criteria are not met)
Hazardous to the aquatic environment.	Not classified (Based on available data the classification criteria are not met)

Hazardous to the aquatic environment, Not classified (Based on available data the classification criteria are not met) long-term (chronic)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LL50 - Fish	> 100 mg/l (Pimephales promelas, 96h) (OECD 203)	
EL50 - Crustacea > 10000 mg/l (Daphnia magna, 48h) (OECD 202)		
LL50 - Crustacea	> 10000 mg/l (Daphnia magna, 96h) (OECD 202)	
NOEL - Crustacea	> 10000 mg/l (Daphnia magna, 96h) (OECD 202)	
NOEC - Crustacea	0.02 mg/l (Daphnia magna)	
NOEL - Algae	>= 100 mg/l (Raphidocelis subcapitata, 72h) (OECD 201)	

12.2. Persistence and degradability

Aminol™ Special Generation SLG4 0W-16 SP/GF-6B	
Abiotic degradation	No data available
Physical and photo-chemical elimination	No data available
Biodegradation	Not readily biodegradable (OECD 301B)

Distillates (petroleum), hydrotreated heavy paraffinic (64742	-54-7)
Abiotic degradation	No data available



According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

Physical and photo-chemical elimination	No data available
Biodegradation	Not readily biodegradable (OECD 301B)

12.3. Bioaccumulative potential

Aminol™ Special Generation SLG4 0W-16 SP/GF-6B		
Partition coefficient n-octanol/water (Log Pow) No data available		
Bioconcentration Factor (BCF)	No data available	

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
Partition coefficient n-octanol/water (Log Pow) No data available			
Bioconcentration Factor (BCF)	No data available		

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This product does not meet the criteria for vPvB or PBT according to Regulation (EC) No. 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties

This product is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission

Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

No known significant effects or critical hazards.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

13.1.1. Product/packaging disposal

Where possible, arrange for product to be recycled.

Empty the packaging completely prior to disposal.

Empty containers may contain combustible product residues. Do not cut, weld, drill, burn or incinerate empty containers or drums, unless they have been cleaned, and declared safe.

Dispose of packaging that cannot be cleaned in the same manner as the product.

Waste codes / waste designations according to LoW

Waste code	Waste designation
13 02 06	Synthetic engine, gear and lubricating oils
15 01 01	Paper and cardboard packaging
15 01 02	Plastic packaging
15 01 04	Metallic packaging

Deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.

13.1.2. Waste treatment - relevant information

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



SAFETY DATA SHEET

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

13.1.3. Sewage disposal - relevant information

Do not discharge into drains or the environment. **13.1.4. Other disposal recommendations**

No additional information available.

SECTION 14: TRANSPORT INFORMATION

General

This product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID r	number	·		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	ng name	· · ·		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard	class(es)	· · ·		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental ha	zards	· · ·		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary info	rmation available	· · · · · · · · · · · · · · · · · · ·		

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

15.1.1. EU regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances

VOC content: 0 %

15.1.2. National regulations

No additional information available

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

IATA: International Air Transport Association.

ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service.

ATE: Acute Toxicity Estimate.

LC₅₀: Lethal Concentration to 50 % of a test population.

LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC₅₀: 50% of maximal Effective Concentration.

NOEL: No Observed Effect Level

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

SDS: Safety Data Sheet

DMEL: Derived Minimal Effect level

DNEL: Derived-No Effect Level



SAFETY DATA SHEET

According to Regulation (EC) No 1907 / 2006, Annex II as amended by Commission Regulation (EU) 2020/878

EN: European Standard

PNEC: Predicted No-Effect Concentration

BCF: Bioconcentration Factor

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals, Regulation (EC) No 1907/2006

Hazard Statements in full

H304 May be fatal if swallowed and enters airways.

Notice to reader

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. ALCO LLC shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact ALCO LLC to ensure that this document is the most current available. Alteration of this document is strictly prohibited.